

Battery charged Body Style Silver Cloud 11 Builder Rolls-Royce
Saloon

L.H. Rear Spring

UR. 3022

R.H. Rear Spring

UR. 3022

Steering Position

Power Assisted Steering. (Left Hand.)

Lock No.

Radio No.

Model 501. TA. - ~~2274334~~ T. 51949

PAINTING DETAILS & LINES. Smoke line on mouldings & Sage line on discs.

GREEN/CREEN. Valspar. 173/15749(SAGE) to top of body, bonnet top & scuttle, body & bonnet moulding & boot door.

GREEN. Valspar. 173/15746(SMOKE) to lower panels of body, between waist moulding, all wings, all discs & fairings.

TRIMMING DETAILS.

Beige Hide. VM. 3234 with Beige piping. VM. 3234.

Fawn Headcloth. 10236 AS.

Fawn Carpet. 7249

SPECIAL FEATURE

FOR USE IN GERMANY.

Dunlop Tubeless tyres UG. 3524.

Speedo in Kms UD. 2953 with Purple Warning light.

UD. 1781 Headlamps with UD. 2956 Bulbs.

High Frequency Horns.

Home type rear number plate.

Each rear lamp to have separate fuse.

Fit UE. 1581 Button in place of Mascot - Std. Mascot to be supplied loose.

Reverse button on column quadrant to be deleted.

UD. 2383 change-over switch for flashing headlamps with column horn button.

Outside mirror to be fitted on the window frame on drivers side

15.2.60

CUSTOMER

Charles List for
Demonstrator.

SF.

16.12.59.

CHASSIS HISTORY CARD.

Chassis No. WSTB 212 Type Silver blond II Series B

Body No. CS 3437 Eng.No's 10655-P 1003 Lock No. 59

Built to Spec. P-8947 Serial No. 0571 Radio. 501 TA-T 21949.

Paint Colour Gray/Green (Sage) Green (Smoke) Paint Spec. Valspar 173/15749, 16746

Leather Colour Beige L. Spec. VM 3234

Cylinder Bores:-

der Bores:-

1	2	3	4	5	6
---	---	---	---	---	---

A1	A2	A3	A4					B1	B2	B3	B4
3	✓	✓	✓					✓	✓	✓	✓

Crankshaft

Journals -

Standard /-~~.005~~

Crankpins -

Standard /- 205

Toe in 32 Caster N/S 20 deg O/S 15 deg Camber N/S 15 in O/S 15 in

Road Springs	<u>F/Near</u>	<u>F/Off</u>	<u>R/Near</u>	<u>R/Off</u>
--------------	---------------	--------------	---------------	--------------

Poundage & Washers 1670/4 1670/4 1233 1232

Rear Spring Serial No. Near F. 15376 Off F. 15356.

Depot instructions Actioned _____

UNIT SERIAL NUMBERS.

STB212

Crankcase BB 624 Radiator Matrix 11/12/1031
 Crankshaft XM 6443 Front Shock Damper 52/1984 52/1970
 Cylinder Head L2033 L2034 Rear Shock Damper 52/956 52/956
 Spring Drive _____ Axle 975 3/40 1.80x
 Water Pump _____ Steering Column 52/963
 Oil Pump _____ Petrol Pump 55/6138
 Relief Valve _____ Servo Motor 1 982
 Gearbox T. 985 1514 Master Cylinders 1/1.80x - 59 271
 Carburettor SS SS Brake Linings Q52 - Q52
 Distributor 1202 Starter Motor ✓

Additional Modifications & Sections.Remarks.

3137 RML. 5082.
 4960 REL. 7300.
 3848(A) RML. 7130, 7300.
 3848(B) RML. 5200.
 3848(C) RML. 5082.
 F5/REJ 2/120 11/3/60 (2000)
 F5/REJ 1/17y. 4/3/60 (3070)
 4922 REL. 5230.
 3848 (D) RML 5082