

ORDER REF. **S.P.A. 208** SERIAL No. **SPA 208**
CL. 535 CHASSIS SPECIFICATION Q. 151

Chassis Type **SILVER CLOUD 11** Engine No. **104.AS** Rota No. **635**
W/O **3200** Series **A** Chassis No. **L. SPA. 208**
Battery **charged** Body Style **Silver Cloud 11** Body No. **OT. 3129**
L.H. Rear Spring **UR. 3022** R.H. Rear Spring **UR. 3022**
Steering Position **Power Assisted Steering. (Left Hand.)**
C Builder **Rolls-Royce.**
Lock No. **539.** Radio No. **Model. UD.4749 - T.86167**

PAINTING DETAILS & LINES.

Single Deep Red line.

SHELL GREY, ICI. R. 901-2582

TRIMMING DETAILS

Red Hide. VI. 3086 with Red piping. VI. 3086
Fawn Headcloth. A. 5050. Maroon Carpet. 105

SPECIAL FEATURES

Fit Refrigeration.
R.R. Electric Windows.
Plain Sundyn glass throughout.
Firestone White sided tubeless tyres UG. 3456
Speedo in M.P.H.
UD. 4782 Headlamps.
Export type rear number plate.
Reverse button on column quadrant to be deleted.
UD. 4888/9 Windtone Horns.
Supply RE. 22619 Winter Thermostat and 1 RE. 3952 Washer.
Provide cold weather fields over door locks.
UB. 2409 driving mirror.
Larger Brake Pedal.

CUSTOMER **Rolls-Royce of Canada for**
Mr. George H. Clooney.

SF. **25.8.59.**

CHASSIS HISTORY CARD.

Chassis No. LSA. 208 Type Silver Cloud II Series A.

Body No. LT. 3129 Eng. No's 104 NS- P248 Lock No. 539

Built to Spec. L. 8843 Serial No. C. 151 Radio. JD 4749-186167

Paint Colour Shell Grey Paint Spec. ICI M 901-2582

Leather Colour Red L. Spec. VM 3086

Cylinder Bores:-

1	2	3	4	5	6
---	---	---	---	---	---

A1	A2	A3	A4
S	L	S	K

B1	B2	B3	B4
L	S	L	K

Crankshaft

Journals -

Standard /-.005

Crankpins -

Standard /-.005

Toe in 3/16 Caster N/S 0° O/S 0° Camber N/S 0° O/S 0°

Road Springs

L/Near

F/OFF

R/Near

R/OFF

Poundage & Washers 1700 1702 1226 1234

Rear Spring Serial No.

Near F 13298

Off F 13305

Depot instructions Actioned _____

Spare parts AQ 21 - AQ 65 - AQ 27 - AQ 66 - AR 987 SPARE.



UNIT SERIAL NUMBERS.

SPA 208

Crankcase	<u>Bn 361.</u>	Radiator Matrix	<u>P111/144/435</u>
Crankshaft	<u>XM. 4793</u>	Front Shock Damper	<u>S2/493. S2/492.</u>
Cylinder Head	<u>L 617 L 618</u>	Rear Shock Damper	<u>S2/234⁵⁰⁵ S2/246.</u>
Spring Drive	<u>—</u>	Axle	<u>251 13/40. 220. ✓</u>
Water Pump	<u>—</u>	Steering Column	<u>S2/252. ✓</u>
Oil Pump	<u>—</u>	Petrol Pump	<u>RF. 5180.</u>
Relief Valve	<u>—</u>	Servo Motor	<u>P 247.</u>
Gearbox	<u>T. 261.</u>	Master Cylinders	<u>✓ F 847 SF 838.</u>
Carburettor	<u>R-12-R9 R-12-R11</u>	Brake Linings	<u>Minkex / Minkex.</u>
Distributor	<u>320. ✓</u>	Starter Motor	<u>—</u>

Additional Modifications & Sections.

Remarks.

Engine Rear Stop n/s removed
 Engine Rear Stop o/s 1/25 on back edge of Plate
 Comp. over unit no 661759 B59
 Model No HX 9989-2x N. memo. 1.12.60. DEPOT nos S202
 " " 9.11.61 " " S224

RNL	3726	S240
RNL	3679	S200
RNL	3610	S200. ✓